REQUEST FOR QUOTATION FOR GOODS AND SERVICES

PM

ONDERSTEPOORT BIOLOGICAL PRODUCTS LTD
PRIVATE BAG X7, ONDERSTEPOORT 0110

From: Supply Chain Department Date: Nov 27 2026 Tel: 012 522 1500 Fax: N/A Email: purchasing@obpvaccines.co.za	To: Supplier: Tel: Fax: Email:

Kindly provide the quotation for the following: RFQ/OBP332/2026/27

Compulsory Document Requirements	Yes/No
SBD4 Bidders Disclosure - All suppliers MUST Complete, sign & submit the SBD4 declaration with their bid application.	
Provide proof of previous supply of the goods being requested in the past (Reference Letters - with contact details) in the last 24 months. A minimum of 2 to be submitted.	

Evaluation of Price and Preference

All Bids will be evaluated on a points system based on weighted average score for Price and Preference as per Preferential Procurement Framework Act of 2000 (Act 5 of 2000).

Preference Point allocation – 80/20	
Price / Preference	**Weighting percentage**
Preference:	**20%**
Price:	**80 %**
Total must equal:	**100%**

OBP Onderstepoort Biological Products will award preference points as follows: Specific Goal	**Points**	**Evidence required**	**Yes/No**
Historically disadvantaged by unfair discrimination on the basis of Race	10	A valid BBBEE Certificate showing at least 51% black ownership	
Historically disadvantaged by unfair discrimination on the basis of Gender (women)	8	A valid BBBEE Certificate showing at least 30% women ownership	
Historically disadvantaged by unfair discrimination on the basis of disability	2	A doctor's note confirming disability, confirmation of disability from the Department of Labour, BEE certificate or equivalent confirmation.	
Total points	**20**		

NB: Please note that if any of the above requirements is not submitted with the quote it will be an immediate disqualification.

TO APPOINT A SUPPLIERTO PROVIDE THE FOLLOWING ITEM/S OR SERVICE AS PER SCOPE BELOW.

Quantity	Product/Item Code	Specification
2 EA	DC Motor Speed Contoller	Input 220-240V Output: 0-90 vdc Regulator method: Potentiometer (linear) Regulated motor: DC brush motor Panel mounted Current output:0.37-2A
3 EA	PWM SPEED CONTROLLER	SPEED CONTROLLER LT10 Electronic single-phase speed controllers - wall mounted. fuse protected with spare fuses included. radio interference protected. minimum speed adjustment. single ON/OFF and speed regulation contol knob. ambient temp: 5°C - 45°C SUPPLY 220/240 1PH 50HZ 10A
5 EA	Safety Relay	Safety Contacts:4 Contact Configuration:4 NO Mount Type: DIN Rail Reset Method : Automatic Power Consumption:2.5W Series: ZE X4 Terminal Type: Screw IP Rating: IP20, IP54, IP40 Contact Current:6A Minimum Operating Temperature: -10°C Switching AC Voltage:240V ac Switching DC Voltage:24V dc Standards/Approvals' 60068-2-78, EN 60947-5-1, EN IEC 62061, EN ISO 13849-1, IEC 61511, EN 60947-1, EN 60204-1, EN 60947-4-1, EN 61000-6-2, EN 60068-2-6, IEC 60204-1 Maximum Operating Temperature:55°C Height:121mm Width:22.5mm Length:87mm Safety Category/Category: 4 EN ISO 13849-1 Coil Voltage:24V dc
2 EA	Float switch	Float Switch (10m) Comes complete with an extra-long cable of 10m to enable easy connection. Rated Voltage: AC125V/250V Max Current: 10(4)A, 10(8)A, 16(4)A, 16(8)A Frequency: 50/60Hz Max Operating Temperature: 55 C Protection Grade: IP68 Counterweight 1 X
10 EA	AC/DC POWER SUPPLY	POWER SUPPLY, 480 W, 380-480 VAC, 3 PHASE, 24-2 8 VDC, 40-34.3 AMP Product type: DIN Rail Power Supply

		Nominal Input Voltage: 50/60Hz 380VAC- 400VAC output voltage: 24-28Vdc Adjustable output voltage range: ±10% Output Power:480
10 EA	AC/DC POWER SUPPLY	DIN Rail Power Supply Nominal Input Voltage: 50/60Hz 100VAC- 240VAC output voltage: 24Vdc Adjustable output voltage range: ±10% Output Power:120 Input Current: 230VAC 1.3A
15 EA	Pushbutton switch	Push button, metal, Harmony XB4, flush, green, 22mm, spring return, unmarked, 1NC Range of product Harmony XB4 Product or component type: Push-button Type of operator: spring return Operator profile: Green flush, unmarked Contacts type and composition :1 NC Connections – terminals: Screw clamp terminals, <= 2 x 1.5 mm² with cable end conforming to IEC 60947-1 Screw clamp terminals, 1 x 0.22...2 x 2.5 mm² without cable end Terminals description: ISO n°1 NC [Ie] rated operational current: 3 A at 240 V
15 EA	Pushbutton switch	Push button, metal, Harmony XB4, flush, green, 22mm, spring return, unmarked, 1NO Range of product Harmony XB4 Product or component type: Push-button Type of operator: spring return Operator profile: Green flush, unmarked Contacts type and composition :1 NO Connections – terminals: Screw clamp terminals, <= 2 x 1.5 mm² with cable end conforming to IEC 60947-1 Screw clamp terminals, 1 x 0.22...2 x 2.5 mm² without cable end Terminals description: ISO n°1 (13-14) NO [Ie] rated operational current: 3 A at 240 V
15 EA	Contact block	Harmony, 22mm Push Button, add on contact block, 1 NC, screw clamp terminal Range of Product: Harmony XB5, Harmony XB4 Product or Component Type: Contact block Connections – terminals: Screw clamp terminals, <= 2 x 1.5 mm² with cable end IEC 60947-1 Screw clamp terminals, >= 1 x 0.22 mm² without cable end IEC 60947-1 Contacts type and composition :1 NC Short-circuit protection :10 A cartridge fuse [Ie] rated operational current: 3 A 240 V, AC-15, A600 IEC 60947-5-1
20 EA	Contact block	Harmony, 22mm Push Button, add on contact block, 1 NO, screw clamp terminal

		Range of Product: Harmony XB5, Harmony XB4 Product or Component Type: Contact block Connections – terminals: Screw clamp terminals, <= 2 x 1.5 mm² with cable end IEC 60947-1 Screw clamp terminals, >= 1 x 0.22 mm² without cable end IEC 60947-1 Contacts type and composition :1 NO Short-circuit protection :10 A cartridge fuse [Ie] rated operational current: 3 A 240 V,
15 EA	Selector switch	Harmony XB4 Series Selector Switch, NO, NC, Panel, IP67, IP69, IP69K, 250 V dc 240 V ac Product type: 22mm Steel selector switch 2Position short handle 1NO – Black 1NC-- Black
3 EA	Thermostat	TLSC Bi-thermostat regulation 0/90°C, safety 90/110°C, Pocket G1/2" L=100 Type: TLSC 17550 Dual safety thermostat electrical contact capacity: 10 (2,5) A / 250 Vac Switches: interrupted due to temperature increase or exchange Max. head temperature :80°C Max. bulb temperature :125°C Thermal gradient: T80 1°K/min Protection rating: IP40
2 EA	LIQUID LEVEL CONTROL RELAY	3-LEVEL LIQUID CONTROL RELAY Type: TE101 SPDT 10A / 250VAC Ambient Temperature:20˚C to 70˚C Power Consumption AC:1.5VA 100mA @ 12VDC SPDT Relay: 10A / 250VAC 2kV AC Supply: 240vac
3 EA	Liquid Level controller	3-LEVEL LIQUID CONTROL RELAY Type: TE101 SPDT 10A / 24VAC Ambient Temperature:20˚C to 70˚C Power Consumption AC:1.5VA 100mA @ 12VDC SPDT Relay: 10A / 250VAC 2kV AC Supply: 24vac
10 EA	Relay	REL-MR- 24DC/21-21 - Single relay Description: Plug-in miniature power relay, with power contact, 2 changeover contacts, input voltage 24 V DC Maximum switching voltage: 250 V AC/DC 250 V AC/DC Limiting continuous current:8 A Nominal input voltage Un:24 V DC Contact switching type: 2 changeover contacts Type of switch contact : Single contact Connection method: Plug / solder connection
10 EA	Relay	REL-MR- 24DC/21 - Single relay Order no:2961105 Description: Plug-in miniature power relay, with power contact,

		1 changeover contact, input voltage 24 V DC Limiting continuous current:6 A Nominal input voltage Un:24 V DC Contact switching type: 1 changeover contacts Type of switch contact : Single contact Connection method: Plug / solder connection Maximum switching voltage: 250 V AC/DC
10 EA	Relays base	PLC-BPT- 24DC/21 - Relay base Description: 14 mm PLC basic terminal block with screw connection, with relay or solid-state relay, for mounting on DIN rail NS 35/7,5, 2 changeover contacts, input voltage 24 V DC Product type: Relay socket Status display: LED Connection method: Push-in connection Nominal input voltage Un: 24 V DC Protective circuit: Freewheeling diode Product family: PLC-INTERFACE Application: Universal Stripping length: 10 mm Connection method: Push-in connection
10 EA	Relays base	PLC-BSC- 24DC/21-21 - Relay base Description: 6.2 mm PLC basic terminal block with screw connection, without relay or solid-state relay, for mounting on DIN rail NS 35/7,5, 1 changeover contact, input voltage 24 V DC Product type: Relay socket Status display: LED Connection method: Screw-in connection Nominal input voltage Un: 24 V DC Protective circuit: Freewheeling diode Product family: PLC-INTERFACE Application: Universal Stripping length: 8 mm
5 EA	Temperature Unit Controller	Temperature Controller Panel Size: 4848: 1/4 DIN W48 × H48mm Output Selection: V- Voltage pulse output, 12vdc Communication (Optional): 0: No interface 1: RS-485 Input voltage: 100 ~ 240VAC 50/60Hz Sensor type: 3-wire Platinum RTD: Pt100, JPt100 Copper resistor: Cu50 Control mode: PID, ON/OFF control or Manual tuning Voltage pulse output: 12Vdc
5 EA	Temperature Unit Controller	Temperature Controller Panel Size: 9696: 1/4 DIN W96 × H96mm Output Selection: C- Current output, 4 ~ 20mA Communication (Optional): 0: No interface 1: RS-485 Input voltage: 100 ~ 240VAC 50/60Hz Sensor type: 3-wire Platinum RTD: Pt100, JPt100 Copper resistor: Cu50 Control mode: PID, ON/OFF control or Manual

		tuning Current output: 4 to 20mADC (Load resistance: Max. 600Ω)
13 EA	Thermal Overload Relays	Type: TeSys LRD TeSys D Product compatibility: LC1D09 LC1D18 LC1D38 LC1D32 LC1D25 LC1D12 network type: Ac Thermal protection adjustment range: 0.1~0.16 qty= 1 0.25~0.4 qty=1 0.63~1 qty=1 1.25~ qty=1 1.6~2.5 qty=1 2.5~4 qty=1 4~6 qty=1 5.5~8 qty=1 7~10 qty=1 9~13 qty=1 12~18 qty=1 17~25 qty=1 23~32 qty=1
10 EA	Contactor	TeSys D contactor, 3P(3 NO), AC-3, 12 Vac coil Model: : LC1D09BL 1.5 -3 kW at 220...12 V AC 50/60 Hz (AC-3) Pole contact composition 3 NO Auxiliary contact composition: NO + 1 NC Control circuit voltage limits: 0.3...0.6 Uc (-40…70 °C): drop-out AC 50/60 Hz Control circuit type: AC at 50/60 Hz standard [Icw] rated short-time withstand current: 105 A 40 °C - 10 s for power circuit 210 A 40 °C - 1 s for power circuit Motor power hp: 3 hp at 230/240 V AC 50/60 Hz for 3 phases motors DIN-rail mounting or screw fixing
20 EA	Contactor	TeSys D contactor, 3P(3 NO), AC-3, 230 Vac coil Model: : LC1D09BL 1.5 -3 kW at 220...230 V AC 50/60 Hz (AC-3) Pole contact composition 3 NO Auxiliary contact composition: NO + 1 NC Control circuit voltage limits: 0.3...0.6 Uc (-40…70 °C): drop-out AC 50/60 Hz Control circuit type: AC at 50/60 Hz standard [Icw] rated short-time withstand current: 105 A 40 °C - 10 s for power circuit 210 A 40 °C - 1 s for power circuit Motor power hp: 3 hp at 230/240 V AC 50/60 Hz for 3 phases motors DIN-rail mounting or screw fixing

Requirements from the supplier (To be used to select the contractor)

- SCM Administration requirements:

- SBD4 Bidders Disclosure - All suppliers MUST Complete, sign & submit the SBD4 declaration with their bid application

- Bidder must submit CSD report or must be register on CSD

- Foreign /International companies must complete SBD1(To be requested purchasing@obpvaccines.co.za)

Government Procurement: all quotations of goods and services are subject to the General conditions of Contract July 2010

Requirements from SCM department:

- All bidders MUST register their company (in advance) on the NEW OBP's E-Procurement portal, the link can be found on the official OBP website under supply chain.
- Once bidders account registration is approved by the OBP Supply Chain, login credentials will be supplied, whereby bidders will be able to login and apply for opportunities.
- All open opportunities will reflect on the portal for bidders to part take in.
- All required company documents, proposed submissions or additional requirements MUST be uploaded wit you bid application.
- Any additional questions or Queries can be directed via email (purchasing@obpvaccines.co.za) or telephone (012 522 1500), note NO SUBMISSIONS WILL BE ACCEPTED via EMAIL.
- OBP reserves the right to cancel or re-advertise RFQ's (Request for quotes).

SBD 4

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise,

---

1 the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	**dentity Number**	**Name of State institution**

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:
……
……

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?
YES/NO

2.3.1 If so, furnish particulars:
……
……

3. DECLARATION

I, the undersigned, (name)…… in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

3.1 I have read, and I understand the contents of this disclosure.

3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect.

3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement, or arrangement with any competitor. However, communication between partners in a joint venture or consortium2 will not be construed as collusive bidding.

3.4 In addition, there have been no consultations, communications, agreements, or arrangements with any competitor regarding the quality, quantity, specifications, prices,

2 Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.

3.5 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

3.6 There have been no consultations, communications, agreements, or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.
I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

……..	..……
Signature	Date
…….	……
Position	Name of bidder

Terms and Conditions:

- Submission should be no later than (**Dec 03 2026 15:00:00**)
- Please indicate your offer validity and lead time: _____
- All prices must be VAT exclusive,(Vat vendor please indicate as such) if no indication, prices will be evaluated as exclusive.
- Quotation must be on a company letter head and ***strictly*** on a PDF format ***(Quotations sent on Word or Excel format will not be accepted***.)
- Supplier must register on or before any submission can be done , supplier number will be allocated to supplier.
- Submission and Quotations must be done online with all attachments required to be uploaded : any queries can be send to purchasing@obpvaccines.co.za
- **If no reply after 14 days of closing date your RFQ was unsuccessfully.**
- Please indicate if you are unable to quote and state the reason why
- Please note that fluctuations in the exchange rate (where applicable) will not be for the account of OBP.
- *Payment terms: 30 days after statement*
- *Bidders must be registered on CSD (Central Supplier Data Base National Treasury) and be tax complaint*

- **Government Procurement: all quotations of goods and services are subject to the General conditions of Contract July 2010**

I agree that the offer herein shall remain binding upon me and open for acceptance by OBP during the validity period indicated.

Signature	Date

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

---

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

(*delete whichever is not applicable for this tender*).

a) The applicable preference point system for this tender is the 90/10 preference point system.

b) The applicable preference point system for this tender is the 80/20 preference point system.

c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

(a) Price; and

(b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	**80**
SPECIFIC GOALS	**20**
Total points for Price and SPECIFIC GOALS	**100**

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

(a) **"tender"** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;

(b) **"price"** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;

(c) **"rand value"** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

(d) **"tender for income-generating contracts"** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and

(e) **"the Act"** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 **or** **90/10**

$$Ps = 80\left(1 - \frac{Pt - P\,min}{P\,min}\right) \quad \text{or} \quad Ps = 90\left(1 - \frac{Pt - P\,min}{P\,min}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. **POINTS AWARDED FOR PRICE**

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 **or** **90/10**

$$Ps = 80\left(1 + \frac{Pt - P\,max}{P\,max}\right) \quad \text{or} \quad Ps = 90\left(1 + \frac{Pt - P\,max}{Pmax}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

(a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

***Note to tenderers: The tenderer must indicate how they claim points for each preference point system.*)**

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
A valid BBBEE Certificate showing at least 51% black ownership		10		
A valid BBBEE Certificate showing at least 30% women ownership		8		
A doctor's note confirming disability, confirmation of disability from the Department of Labour, BEE certificate or equivalent confirmation.		2		

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm…….

4.4. Company registration number: ……...

4.5. TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

i) The information furnished is true and correct;

ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;

iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;

iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

(a) disqualify the person from the tendering process;

(b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;

(c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;

(d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and

(e) forward the matter for criminal prosecution, if deemed necessary.

.....

SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME: .....

DATE: .....

ADDRESS: .....

.....

.....

.....