

## REQUEST FOR QUOTATION FOR GOODS AND SERVICES



PM

**ONDERSTEPOORT BIOLOGICAL PRODUCTS LTD  
PRIVATE BAG X7, ONDERSTEPOORT 0110**

From: Supply Chain Department  
Date: Feb 11 2026  
Tel: 012 522 1500  
Fax: N/A  
Email: purchasing@obpvaccines.co.za

To:  
Supplier:  
Tel:  
Fax:  
Email:

**Kindly provide the quotation for the following: RFQ/OBP375/2025/26**

<b>Compulsory Document Requirements</b>	<b>Yes/No</b>
Provide the specifications /catalogue of the item to be provided	
South African Companies should provide a CSD Report that isn't older than 2 month, that shows that the service provider is registered/active and tax compliant.  Foreign /International companies must complete SBD1(To be requested purchasing@obpvaccines.co.za )	
SBD4 Bidders Disclosure - All suppliers MUST Complete, sign & submit the SBD4 declaration with their bid application.	

### Evaluation of Price and Preference

All Bids will be evaluated on a points system based on weighted average score for Price and Preference as per Preferential Procurement Framework Act of 2000 (Act 5 of 2000).

#### Preference Point allocation – 80/20

Price / Preference	Weighting percentage
Preference:	20%
Price:	80 %
<b>Total must equal:</b>	<b>100%</b>

OBP Onderstepoort Biological Products will award preference points as follows: Specific Goal	Points	Evidence required	Yes/No
Historically disadvantaged by unfair discrimination on the basis of Race	10	A valid BBBEE Certificate showing at least 51% black ownership	
Historically disadvantaged by unfair discrimination on the basis of Gender (women)	8	A valid BBBEE Certificate showing at least 30% women ownership	

Historically disadvantaged by unfair discrimination on the basis of disability	2	A doctor's note confirming disability, confirmation of disability from the Department of Labour, BEE certificate or equivalent confirmation.	
<b>Total points</b>	<b>20</b>		

**NB: Please note that if any of the above requirements is not submitted with the quote it will be an immediate disqualification.**

**TO APPOINT A SUPPLIER TO PROVIDE THE FOLLOWING ITEM/S OR SERVICE AS PER SCOPE BELOW.**

<b>Quantity</b>	<b>Product/Item Code</b>	<b>Specification</b>
1 Each	CO2 Incubator for tissue culture	<p>Category Specification Requirement</p> <p>Capacity Minimum 200 L internal chamber volume (acceptable range 200–300 L).</p> <p>Temperature</p> <p>Control Temperature range: 5°C above ambient to at least 60°C; Uniformity <math>\pm 0.2^{\circ}\text{C}</math>; Stability <math>\pm 0.1^{\circ}\text{C}</math>.</p> <p>Heating System Direct heat or air-jacketed system ensuring fast recovery after door opening.</p> <p>CO<sub>2</sub> Control Adjustable CO<sub>2</sub> concentration 0–20%; Accuracy <math>\pm 0.1\%</math>; Automatic regulation via microprocessor/PID system.</p> <p>CO<sub>2</sub> Sensor</p> <p>Technology Infrared (IR) CO<sub>2</sub> sensor (heat-resistant type preferred).</p> <p>O<sub>2</sub> Control</p> <p>(Optional) O<sub>2</sub> suppression/control (1–19% range) where applicable.</p> <p>Humidity System Relative humidity <math>\geq 95\%</math> with integrated water reservoir or humidity pan.</p> <p>Sterilisation /</p> <p>Decontamination Built-in 90°C moist heat sterilisation cycle or 180°C dry-heat high-temperature sterilisation capability.</p> <p>Filtration HEPA or ULPA filtration system for ISO Class 5 internal air quality.</p> <p>Inner Chamber</p> <p>Material Stainless steel (304/316) or solid copper interior (as applicable).</p> <p>Exterior Finish Powder-coated steel, corrosion-</p>

		<p>resistant, antimicrobial coating preferred</p> <p>Doors Outer solid door + inner glass door or multiple inner doors for parameter stability.</p> <p>Shelving Minimum 3 adjustable stainless steel shelves, expandable.</p> <p>Recovery Time Rapid temperature, CO<sub>2</sub>, and humidity recovery after door openings (≤5 minutes typical).</p> <p>Decontamination</p> <p>Safety Automatic lockout during sterilisation cycle; temperature and sensor protection.</p> <p>Safety Features Over-temperature protection, CO<sub>2</sub> over-injection alarms, sensor fault alarms.</p> <p>Controls &amp; Display Digital controller with touch panel; real-time display of CO<sub>2</sub>, temperature, humidity; alarm logs.</p> <p>Data Logging USB/RS-232/Ethernet port or internal memory for data recording.</p> <p>Gas Inlet</p> <p>Requirements CO<sub>2</sub> inlet with 0.3–0.7 MPa rating; in-line CO<sub>2</sub> filter included.</p> <p>Power</p> <p>Requirements Standard: 220–240 V, 50 Hz; Max power consumption ≤1.2 kW.</p> <p>Optional</p> <p>Accessories CO<sub>2</sub> gas regulator, N<sub>2</sub> backup, extra shelves, UV lamp, c</p>
--	--	---

**Requirements from the supplier (To be used to select the contractor)**

- 

**Government Procurement: all quotations of goods and services are subject to the General conditions of Contract July 2010**

**Requirements from SCM department:**

- All bidders MUST register their company (in advance) on the NEW OBP's E-Procurement portal, the link can be found on the official OBP website under supply chain.

- Once bidders account registration is approved by the OBP Supply Chain, login credentials will be supplied, whereby bidders will be able to login and apply for opportunities.
- All open opportunities will reflect on the portal for bidders to part take in.
- All required company documents, proposed submissions or additional requirements MUST be uploaded with your bid application.
- Any additional questions or Queries can be directed via email ([purchasing@obpvaccines.co.za](mailto:purchasing@obpvaccines.co.za)) or telephone (012 522 1500), note NO SUBMISSIONS WILL BE ACCEPTED via EMAIL.
- OBP reserves the right to cancel or re-advertise RFQ's (Request for quotes).

SBD 4

## BIDDER'S DISCLOSURE

### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

### 2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

---

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

2.2.1 If so, furnish particulars:

.....  
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?

**YES/NO**

2.3.1 If so, furnish particulars:

.....  
.....

**3. DECLARATION**

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

3.1 I have read, and I understand the contents of this disclosure.

3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect.

3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement, or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.

3.4 In addition, there have been no consultations, communications, agreements, or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.

3.5 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

3.6 There have been no consultations, communications, agreements, or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and

---

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT. I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....  
Signature Date  
.....  
Position Name of bidder

**Terms and Conditions:**

- Submission should be no later than **(Feb 17 2026 15:00:00)**
- Please indicate your offer validity and lead time: \_\_\_\_\_
- All prices must be VAT exclusive, (Vat vendor please indicate as such) if no indication, prices will be evaluated as exclusive.
- Quotation must be on a company letter head and **strictly** on a PDF format **(Quotations sent on Word or Excel format will not be accepted.)**
- Supplier must register on or before any submission can be done , supplier number will be allocated to supplier.
- Submission and Quotations must be done online with all attachments required to be uploaded : any queries can be send to purchasing@obpvaccines.co.za
- **If no reply after 14 days of closing date your RFQ was unsuccessfully.**
- Please indicate if you are unable to quote and state the reason why
- Please note that fluctuations in the exchange rate (where applicable) will not be for the account of OBP.
- *Payment terms: 30 days after statement*
- *Bidders must be registered on CSD (Central Supplier Data Base National Treasury) and be tax complaint*
- **Government Procurement: all quotations of goods and services are subject to the General conditions of Contract July 2010**

*I agree that the offer herein shall remain binding upon me and open for acceptance by OBP during the validity period indicated.*

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

## **TERMS OF REFERENCE**

### **Category Specification Requirement**

Capacity Minimum 200 L internal chamber volume (acceptable range 200–300 L).

Temperature

Control Temperature range: 5°C above ambient to at least 60°C; Uniformity  $\pm 0.2^\circ\text{C}$ ; Stability  $\pm 0.1^\circ\text{C}$ .

Heating System Direct heat or air-jacketed system ensuring fast recovery after door opening.

CO<sub>2</sub> Control Adjustable CO<sub>2</sub> concentration 0–20%; Accuracy  $\pm 0.1\%$ ; Automatic regulation via microprocessor/PID system.

CO<sub>2</sub> Sensor

Technology Infrared (IR) CO<sub>2</sub> sensor (heat-resistant type preferred).

O<sub>2</sub> Control

(Optional) O<sub>2</sub> suppression/control (1–19% range) where applicable.

Humidity System Relative humidity  $\geq 95\%$  with integrated water reservoir or humidity pan.

Sterilisation /

Decontamination Built-in 90°C moist heat sterilisation cycle or 180°C dry-heat high-temperature sterilisation capability.

Filtration HEPA or ULPA filtration system for ISO Class 5 internal air quality.

Inner Chamber

Material Stainless steel (304/316) or solid copper interior (as applicable).

Exterior Finish Powder-coated steel, corrosion-resistant, antimicrobial coating preferred

Doors Outer solid door + inner glass door or multiple inner doors for parameter stability.

Shelving Minimum 3 adjustable stainless steel shelves, expandable.

Recovery Time Rapid temperature, CO<sub>2</sub>, and humidity recovery after door openings ( $\leq 5$  minutes typical).

Decontamination

Safety Automatic lockout during sterilisation cycle; temperature and sensor protection.

Safety Features Over-temperature protection, CO<sub>2</sub> over-injection alarms, sensor fault alarms.

Controls & Display Digital controller with touch panel; real-time display of CO<sub>2</sub>, temperature, humidity; alarm logs.

Data Logging USB/RS-232/Ethernet port or internal memory for data recording.

Gas Inlet

Requirements CO<sub>2</sub> inlet with 0.3–0.7 MPa rating; in-line CO<sub>2</sub> filter included.

## Power

Requirements Standard: 220–240 V, 50 Hz; Max power consumption  $\leq 1.2$  kW.

## Optional

Accessories CO<sub>2</sub> gas regulator, N<sub>2</sub> backup, extra shelves, UV lamp, cooling system, stand or stacking frame.

## Cooling System

(Optional) Ability to operate below ambient temperature (e.g., 8°C below ambient) if cooling model is required.

Include IQ/OQ